

Notice of Allowability

Application No.

10/707,414

Applicant(s)

SUNG ET AL.

Examiner

Art Unit

Glenn Zimmerman

2879

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to July 21, 2004.
2. ☒ The allowed claim(s) is/are 1-8,10,11 and 13-16.
3. ☒ The drawings filed on 21 July 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>0904</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION

Response to Amendment

Amendment, filed on July 21, 2004, has been entered and acknowledged by the examiner.

Drawings

The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on July 21, 2004 have been approved.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Winston Hsu on September 10, 2004.

The application has been amended as follows:

On page 6 immediately after paragraph [0015] and before the wording "DETAILED DESCRIPTION" please enter "Fig. 5 is a cross-sectional diagram of a plasma panel according to the present invention."

Allowable Subject Matter

Claims 1-8, 10, 11 and 13-16 are allowed.

Regarding claim 1, the following is an examiner's statement of reasons for allowance: The prior art of record neither shows nor suggests a plasma panel including the combination of all the limitations as set forth in claim 1, and specifically wherein a recess is formed between two adjacent electrodes of the plurality of electrode pairs; and a first fluorescent layer covering the first dielectric layer could not be found elsewhere in prior art.

Regarding claims 2-15, claims 2-15 allowed for the reasons given in claim 1, because of their dependency status on claim 1.

Regarding claim 16, the following is an examiner's statement of reasons for allowance: The prior art of record neither shows nor suggests a plasma panel including the combination of all the limitations as set forth in claim 16, and specifically a dielectric layer having a predefined pattern covering the plurality of electrode pairs wherein a recess is formed between two adjacent electrodes of the plurality of electrode pairs and a fluorescent layer covering the dielectric layer could not be found elsewhere in prior art.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Chung U.S. Patent 6,326,727 discloses a Plasma Display Panel

Art Unit: 2879

with Dielectric Layer and Protective Layer in Separated Shape and Method of

Fabricating the Same. Amemiya U.S. Patent 6,525,470 discloses a Plasma Display

Panel Having a Particular Dielectric Structure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenn Zimmerman whose telephone number is (571) 272-2466. The examiner can normally be reached on M-W 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh D Patel can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Glenn Zimmerman



Vip Patel
Primary Examiner
AU 2879